

# Technical Datasheet

Art.-Nr. 2020200602



## *WEPOS Granite & Marble Impregnation*

### **Description**

Ready-to-use special impregnation. Limescale and water repellent, and reduces the penetration of dirt, moisture, paint, oil and grease. Stain-forming liquids can be wiped off before they penetrate the surface. Facilitates cleaning. For all absorbent natural and artificial stones. Also for sealing grouting.

### **Effect:**

Ready-to-use special impregnation protects against oil, grease and water marks. Helps block dirt, moisture, paint, oil and grease. Makes cleaning easier. Staining liquids can be wiped off before they penetrate the surface. Protects grout against water and oil-based marks.

### **Application:**

For all absorbent natural and artificial stones, such as polished, smoothed or sandblasted marble, limestone, travertine, Solnhofen slabs, sandstone, quartzite, concrete building blocks, terrazzo or slate; polished, smoothed, flamed or sandblasted granite, clinker bricks and ceramics or cotto. For floors, walls, tables, work surfaces, windowsills, bathrooms – especially paneled showers – and kitchen counters.

### **Direction of use:**

The base needs to be clean, dry and absorbent before the treatment. The more the stone can absorb, the better the effect.

Apply the undiluted product liberally, in an even layer – according to how absorbent the base is – using a soft brush or plastic roller. A second application will make it more effective, but only apply as much as the base can absorb. Let it sit for about 1 hour, then use a dry, absorbent cloth to wipe away any impregnation that did not soak in. Do not leave any streaks. The drying time is 3 to 4 hours; do not step on the treated surface during this time. The impregnation will take full effect after 24 hours.

Consumption: 1 liter is enough for about 10-25 m<sup>2</sup>, depending on the absorbency and texture of the surface.

### **Important:**

Natural stone can vary widely depending on its origin and properties. Therefore, always test a small area for potential discoloration.

Wine, orange juice, cola, etc. can still cause matte marks on polished marble. However, these will be less noticeable than on untreated marble, and will be easier to clean.

### **Technical Informations**

- Density: 0,78-0,80 g/ml
- PH: n. a.
- colour: light yellow liquid
- smell: mild

### **Sicherheitshinweise:**

May cause long-term adverse effects in the aquatic environment.

Harmful: may cause lung damage if swallowed.

Repeated exposure may cause skin dryness or cracking.

Keep out of the reach of children.

Do not breathe spray.

If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

### **Packing unit**

1000 ml-tin (4 per box)

Please beware of: Always test the product in an inconspicuous area to evaluate suitability, coverage and performance. The liability of WEPOS for defective products and any claims for damages whatever is limited to the purchase price of the products. WEPOS shall not be liable for any consequential damages. No other warranty or representation is made or implied.

April/13